Electrolux thermaline S90

6-burners boiling top on base

The Electrolux thermaline S90 cooking equipment is designed for the very heavy duty requirements of small institutions, hotels and restaurants. The range consists of a wide choice of modular elements that can be installed as individual free-standing or wall mounted units, or assembled into a complete cooking suite. Construction based on an internal stainless steel frame combined with a new plug-connection system ensures that individual modules can be solidly connected with a virtually seamless working surface.The modules described in detail on this sheet have 6 independently controlled open burners, mounted on a base unit. These models are available for operation either on one side only or from both sides to suit a central cooking island. The installation options floor mounted on 200mm high feet or on a plinth that can be either in stainless steel or of masonry construction.

599523+shelf fixation

EASY TO USE
- Three different sizes of burners to suit different cooking requirements from rapid boiling to a gentle simmer process.
- Manual gas valves with fixed high and low positions allow precise control of the flame intensity.
- Large sized pan support in cast iron with long center fins to allow the use of the largest down to the smallest pans.
- The level of the pan support and the top of the unit is the same, which means it is possible to move pans around the surface without lifting.

EASY TO MAINTAIN
- Removable pan supports, burner rings and flame ignition components.
- Simply, convenient operation with highly visible control panels and knobs.
- Gas main valve built in as standard.

EASY ON THE ENVIRONMENT
- 98% of the unit is recyclable by weight.
- Packing free of toxic substances.

MATERIALS
- Body and base compartment are made of stainless steel AISI 304 and pan supports are made of cast iron.
- 3 mm work top in AISI 304 stainless steel.
- “Lasertec connection system” in 304AISI stainless steel creates a nearly seamless work top .

APPROVALS
- The appliances are IPX5 certified against water jets.
- All appliances are developed and assembled according to European safety and hygiene standards and are CE marked.

MODELS
- All the models are delivered with four square stainless steel feet.
- Some models are supplied with the Ecoflam pan detection system, which has the advantage of saving energy and reducing unnecessary heat radiation in the kitchen.
- The models installed against the wall have a C-board of 43 mm. The C-board on the rear side of the appliances closes any kind of gap between the unit and the wall, for better hygiene.
- The 2 side operating models have a pass-through base.
- Available as variation models with open base in hygienic designed execution with large rounded corners for easier cleaning.

Electrolux

thermaline

Electrolux thermaline S90
6-burners boiling top on base

	GC1G31A1B 584266	GC1G31A2B 584268	GC1G31A2BF 584269	GC1G31C1B 584270
TECHNICAL DATA				
Power supply	Gas	Gas	Gas	Gas
Installation	Standing as an island; Standing back to back	Standing as an island	Standing as an island	Standing against wall; Standing back to back; Wall mounted
Configuration	One-Side Operated	Both-Sides Operated	Both-Sides Operated	One-Side Operated
External dimensions - mm				
width	1500	1500	1500	1500
depth	900	900	900	900
height	900	900	900	900
Storage cupboard - mm				
width	540	540	540	540
depth	738	860	860	738
height	358	358	358	358
Back burner dimensions - mm	420x440, 420x440, 420x440	420x440, 420x440, 420x440	420x440, 420x440, 420x440	420x440, 420x440, 420x440
Back burners power - kW	7, 5, 7	7, 5, 7	7, 5, 7	7, 5, 7
Front burners dimension - mm	420x440, 420x440, 420x440	420x440, 420x440, 420x440	420x440, 420x440, 420x440	420x440, 420x440, 420x440
Front burners power - kW	5, 7, 5	5, 7, 5	5, 7, 5	5, 7, 5
Power - kW				
gas	36	36	36	36
Net weight - kg.	270	270	270	270
INCLUDED ACCESSORIES				
PAN REST CAST-IRON-430X399 MM	1	1	1	1
ACCESSORIES				
FLEXIBLE CONNECTION HOSE 3/4''	910720	910720	910720	910720
KIT BACK TO BACK INSTALLATION C-BOARD				911845
KIT FOR BACK TO BACK INSTALLATION,1-PCE	911619			
KIT FOR WALL MOUNTING H = 700MM	911670			911670
LOWER SIDE PANEL WALL MOUNTING 300 MM LE	911671			911671
LOWER SIDE PANEL WALL MOUNTING 300 MM RI	911672			911672
PAN REST STAINLESS STEEL-430X380 MM	910729	910729	910729	910729
PORTIONING SHELF 1500X130 MM	911861	911861	911861	911861
PORTIONING SHELF 1500X200 MM	911883	911883	911883	911883
S/S FRONT KICKING STRIP 1500MM - WALL	911602			911602
S/S FRONT+BACK KICKING STRIPS 1500MM -FS	911601	911601	911601	
S/S SIDE KICKING STRIPS BACK TO BACK C-B				911844
S/S SIDE KICKING STRIPS L+R-BACK-TO-BACK	911640			
S/S SIDE KICKING STRIPS LEFT+RIGHT - FS	911638	911638	911638	
S/S SIDE KICKING STRIPS LEFT+RIGHT -WALL	911639			911639
S90 PAN REST CNS 430X430 MM THERMA	911988	911988	911988	911988
SHELF FIXATION F.OPEN&HOT BASE 800,2-S		910772	910772	
SHELF FIXATION FOR OPEN&HOT BASE,1-S	910771			910771
SHELF FOR OPEN & HOT BASE,W=700&800,1-S	910780			910780
SHELF FOR OPEN & HOT BASE,W=700&800,2-S		910779	910779	
SIDE PANEL FREESTANDING	911949	911949	911949	
SIDE PANEL LEFT - BACK TO BACK	911955			
SIDE PANEL LEFT-AGAINST WALL, H=700MM	911953			
SIDE PANEL LEFT-AGAINST WALL+CB,H=700MM				911951
SIDE PANEL RIGHT - BACK TO BACK	911954			
SIDE PANEL RIGHT-AGAINST WALL, H=700MM	911952			
SIDE PANEL RIGHT-AGAINST WALL+CB,H=700MM				911950
SOLID TOP PLATE F.OPEN BURNER-360X360MM	910718	910718	910718	910718

CFAA050
2010-05-28

Subject to change without notice

Electrolux thermaline S90
6-burners boiling top on base

584266



	GC1G31A1B 584266
LEGEND	
G - Gas connection	3/4"

CFAA050

2010-05-28

Subject to change without notice

Electrolux thermaline S90
6-burners boiling top on base

584268, 584269



	GC1G31A2B 584268	GC1G31A2BF 584269
LEGEND		
G - Gas connection	3/4"	3/4"

CFAA050

2010-05-28

Subject to change without notice

Electrolux thermaline S90
6-burners boiling top on base

584270



	GC1G31C1B 584270
LEGEND	
G - Gas connection	3/4"

CFAA050

2010-05-28

Subject to change without notice